

L Number	Hits	Search Text	DB	Time stamp
13	28	energy same intensity same profile same detector and x-ray and attenuation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 09:49
14	18	energy same modulation same transfer same function and detector same calibrat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 10:20
15	218	modulation same transfer same function and detector same calibrat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 10:20
16	58	modulation same transfer same function and detector same calibrat\$4 and x-ray	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 10:27
17	8	energy same modulation same transfer same function and detector same calibrat\$4 and x-ray	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 10:28
18	18	energy same modulation same transfer same function and detector same calibrat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 10:30
19	40	energy same modulation same transfer same function and detector and x-ray	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 10:30